	Application No.	Applicant(s)	
Notice of Allowability	09/582,871	DEBREGEAS ET AL.	
	Examiner	Art Unit	
	Susan T. Tran	1615	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comr IGHTS. This application is and MPEP 1308.	in this application. If not included nunication will be mailed in due course. THI S	S ative
1. A This communication is responsive to Amendment filed 03/	<u>10/04</u> .		
2. X The allowed claim(s) is/are <u>1-16,19,20,24 and 25</u> .			
3. \boxtimes The drawings filed on <u>09 August 2000</u> are accepted by the	Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Applica cuments have been receiv	ion No ed in this national stage application from the	Э
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	MENT of this application.		
5. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached E es reason(s) why the oath	XAMINER'S AMENDMENT or NOTICE OF or declaration is deficient.	
6. CORRECTED DRAWINGS (as "replacement sheets") must			
(a) \square including changes required by the Notice of Draftsper		ew (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date		t II Off a patient of	
(b) including changes required by the attached Examiner Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR feach sheet. Replacement sheet(s) should be labeled as such in	I.84(c)) should be written or the header according to 37	the drawings in the front (not the back) of CFR 1.121(d).	
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MA FOR THE DEPOSIT OF E	TERIAL must be submitted. Note the BIOLOGICAL MATERIAL.	
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Paper N 08), 7. ☐ Examine	Informal Patent Application (PTO-152) Summary (PTO-413), b./Mail Date 's Amendment/Comment 's Statement of Reasons for Allowance THURMAN K. PAGE SUPERVISORY PATENT EXAMINER TECHNOLOGY GENTER 1600	

Application/Control Number: 09/582,871

Art Unit: 1615

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The specific limitation as to the use of peripheral apertures defined by a space between mutually parallel sections contained in a drum was discussed during the personal interview with applicant's attorney dated 07/08/03. During said interview, it was agreed that the device/apparatus claims are patentable over the art of record, and it was suggested to cancel the product claims 17, 18, 21 and 22. Applicant's amendment dated 03/10/04 cancel the product claims. Regarding to the term "member for feeding", applicant's attorney indicated that there are many conventional members for feeding a drum and for supplying gas, and therefore, one of ordinary skill in the art would understand the scope of the claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Claims 1-16, 19, 20, 24 and 25 are allowed.

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Susan T. Tran whose telephone number is (571) 272-0606. The examiner can normally be reached on Monday through Thursday 6:00 am to 4:30 pm.

Application/Control Number: 09/582,871

Art Unit: 1615

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thurman K. Page can be reached at (571) 272-0602. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

THURMAN K PAGE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600